

Herschel	HERSCHEL EGSE ROUTER SOW	Doc. no. : SRON-U/HIFI/SP/2001-5
HIFI		Issue : Draft 1 Date : 6 February 2001 Category : Page : 1 of 4

Title **Herschel EGSE router SOW**

Prepared by : Luc Dubbeldam

Date : Feb 7, 2001

Checked by : Albrecht de Jonge

Date :

Agreed by :

Date :

Authorised by :

Date :

Herschel	HERSCHEL EGSE ROUTER SOW	Doc. no. : SRON-U/HIFI/SP/2001-5 Issue : Draft 1 Date : 6 February 2001 Category : Page : 2 of 4
HIFI		

Table of contents

1 SCOPE OF WORK 3

2 SPECIFICATION OF PACKET ROUTING SYSTEM (PRS) 3

3 DELIVERIES..... 4

Herschel	HERSCHEL EGSE ROUTER SOW	Doc. no. : SRON-U/HIFI/SP/2001-5
HIFI		Issue : Draft 1
		Date : 6 February 2001
		Category :
		Page : 3 of 4

1 SCOPE OF WORK

The purpose of the router as described in this document is to connect SCOS-2000 with the CDMS-simulator and with the test-equipment interface (TEI)




Figure 1 EGSE configuration

In the figure the SCOS-2000 gateway, TEI-IF and CDMS-sim are examples of clients that can connect to the router.

2 SPECIFICATION OF PACKET ROUTING SYSTEM (PRS)

- 1 PRS shall support Windows and Unix platforms for clients
- 2 PRS shall define a format and protocol to exchange PUS packets between software programs (clients) across a TCP/IP network.
- 3 It shall be possible to run PRS on a network containing only Windows platforms, and on a network containing only Unix platforms.
- 4 PRS shall route packets based on their packet type. Packet type shall be based on the TM/TC distinction and APID only.
- 5 PRS shall define an interface that enables the clients to communicate with the PRS. The interface shall offer the following functions:
 - 5.1 Packet exchange functions:
 - 5.1.1 Register the client with the PRS
 - 5.1.2 Revoke the registration of the client

Herschel	HERSCHEL EGSE ROUTER SOW	Doc. no. : SRON-U/HIFI/SP/2001-5
HIFI		Issue : Draft 1 Date : 6 February 2001 Category : Page : 4 of 4

- 5.1.3 Indicate the ability of the client to receive certain packet types by specifying a call back function, thereby instructing the PRS to forward any such packets to the application
- 5.1.4 Revoke the ability to receive certain packet types.
- 5.1.5 Send any packet
- 5.1.6 Receive a packet

- 5.2 Router administration functions:
 - 5.2.1 Inspect the registered clients.
 - 5.2.2 Block a forwarding route based on sender, destination and/or packet type
 - 5.2.3 Remove a block on a forwarding route
 - 5.2.4 Inspect the blocked routes

- 6 The client interface shall be available in a C language binding on both Unix and Windows platforms.

- 7 PRS shall provide an interface with SCOS-2000 enabling SCOS-2000 to receive all TM packets and to send any TC packet.

- 8 PRS shall provide a user interface with the following functions:
 - 8.1 Inspect the registered clients and the packet types they handle
 - 8.2 Block and unblock the exchange of specified packet types for specified clients

- 9 The PRS user interface shall be optionally available on any system using the PRS.

3 DELIVERIES

The delivery of the prototype is expected in week 7

The connection to the SCOS-gateway and SCOS-2000 v2.0-egse in week 9

Deliverable items:

- Router software
- Router ICD
- User manual
- Test report