

Astrobiology An Overview

Markus Kissler-Patig



 Graduate School 

January 20-24, 2020

Daily: 10:00-12:00 & 12:45-13:45



Books mentioned yesterday:



Astrobiology

An Overview

Day 2




Earth Climate History; Limits of Climate; Planet Atmospheres

<https://www.cosmos.esa.int/web/astrobio/imprs2020>

Monday January 20	Day 1: Definition of Life; Origin of Life; Evolution of Life; Limits of Life
Tuesday January 21	Day 2: Earth Climate History; Limits of Climate; Planet Atmospheres 10:00-12:00 & 12:45-13:45
Wednesday January 22	Day 3: Habitable Places in the Solar System; Mars; Moons of Giant Planets 14:00 - 17:30 (with 30min break)
Thursday January 23	Day 4: Habitable Places beyond the Solar System; Exoplanets properties; Biosignatures 10:00-12:00 & 12:45-13:45
Friday January 24	Day 5: Search for Extraterrestrial Intelligence; Alien Biochemistry 10:00-12:00 & 12:45-13:45

Basics of Climate





If Earth were a black body heated by the Sun:


$$T_{\text{eff}} = 255\text{K}$$

assuming 0.3 Albedo

But

$$T_{\text{surf}} \sim 288\text{K}$$

Two heat sources: the sun + the heated atmosphere



Which is the most effective
Greenhouse gas?

If Earth were a black body heated by the Sun:

$$T_{\text{eff}} = 255\text{K}$$

assuming 0.3 Albedo

But


$$T_{\text{surf}} \sim 288\text{K}$$

The Greenhouse effect contributes $\sim 33\text{K}$

(20K H_2O , 10K CO_2 , $2\text{-}3\text{K}$ $\text{CH}_4, \text{N}_2\text{O}, \text{O}_3, \text{CFCs}$)

The **Temperature** of the planet depends (to first order) on only three factors:

- The **Solar flux** (geometry, solar physics)
- The **Albedo** (80% due to clouds, very difficult to model!)
- The **Greenhouse** effect (atmospheric composition)




Grimsvötn: ashes 8-12 km high, H₂O up to 20km



May 2011


At which altitude is the
Ozone layer?




Climate Feedback loops

Solar flux variations

Greenhouse variations



Albedo variations



Gained in importance in the last 2 Myr


POSITIVE (+) Feedback loops are **unstable**

But the climate on Earth is stable...

⇒ There must be **NEGATIVE (-)**
feedback loops that stabilize the climate
(at least on short time scales)



Provides **short-term** stability




‘Fain Young Sun’ Problem


Do we have evidence for a
long-term stabilizing
process?

Carbonate-Silicate Cycle


- 200 Myr timescale
- Replenishes atm+ocean CO₂ in 0.5 Myr
- 99.99% of Earth C is in the crust at any time



Land





Ocean




(Volcano)

CO₂




(Subducted Plate)



Provides long-term climate stability

Climate Crisis




Snowball Earth


Surface
Temperature

Snow and
Ice cover

(+)

Planetary
Albedo





Geological evidence (Glaciers) for 3 total Glaciations

- First ~2.4-2.2 Ga (very unstable weather)


$O_2 \nearrow \rightarrow CH_4 \searrow \rightarrow$ Greenhouse effect \searrow

- Next 720 Ma and 580 Ma


How did we get out of it?

Carbonate-Silicate Cycle


- 200 Myr timescale
- Replenishes atm+ocean CO₂ in 0.5 Myr
- 99.99% of Earth C is in the crust at any time



Land





Ocean



(Volcano)

CO₂



(Subducted Plate)


Rainfall

Needed: 0.3 bar of CO₂ (1000x today's amount)
At present Volcanic rate: 10 Myr

(-)

Greenhouse
effect


Atmospheric
CO₂



Take a break...

The Rise of Oxygen

Co-evolution of Oxygen and Life



Pre-biotic Oxygen


All the primordial atmosphere was lost during impacts

It was replaced (prior to 4.2 Ga) by a secondary atmosphere (Volcanic out-gassing, late-accretion)

Liquid water was present on the surface by then (Geological evidence)

→ Atmospheric pressure was approaching 1 bar

→ Greenhouse was possible



Core-Mantle-Crust structure formed in the first 100 Myr

Where did the first abiotic O_2 in the atmosphere come from?


Only source: photolysis of H_2O and CO_2

but fast recombination

Solution: H_2 escapes

10-40%
Thermal
escape


60-90%
Non-thermal
escape



Around ~3.9 Ga, the atmosphere reached an oxidation state close to today's value

What was the fraction of oxygen in the Earth atmosphere prior to Life?



What did the temperature profile of the atmosphere look like?



Effects of primitive life on the atmosphere

Life modulates the most important volatiles
in the atmosphere: H_2 , CO_2 , N_2 and O_2

Methanogens regulate H_2 and CO_2



consume H_2 and reject $\text{CH}_4 \rightarrow$ Greenhouse ↗ \rightarrow
weathering ↗ \rightarrow CO_2 in the atmosphere ↘

Carbon gets bound to inorganic/organic matter

All organisms metabolize N_2
(If they can get it in soluble form...)

N_2 - Nitrogen is essential for life (DNA, RNA, proteins)

But: very few organisms can metabolize N_2
directly from the atmosphere

Solution: $\text{N}_2 + \text{CO}_2 \rightarrow 2\text{NO} + 2\text{CO}$
(with the help of lightning in the atmosphere)



NO is soluble in water (HNO), can be fixed
(anaerobic) and then be used by organisms



The first Rise of Oxygen

Anoxygenic Photosynthesis

- pre-dates Oxygen photosynthesis (probably 3.5-3.2 Ga)
- **principle**: use sunlight to extract protons (H^+) from H_2S , store energy in ATP, and use it to extract C by reducing CO_2




There are no pockets of “old” atmosphere left. How can we trace the early atmosphere?

How old are the oldest ice cores?

Geological evidence for O₂ in atmosphere




Palo Duro Canyon, Texas



Oxygenic Photosynthesis

- probably invented ~2.7 Ga (evidence in Stromatolites)
- **principle**: use sunlight to extract protons (H^+) from H_2O , store energy in ATP, and use it to extract C by reducing CO_2




First to use it: Cyanobacteria


Found 0.3-0.4 Gyr before the rise of Oxygen!

Main trick needed: overcome toxic O₂

Today found as **Chloroplast** in Eukaryotes



Today found as **Chloroplast** in Eukaryotes




With Oxygen comes Ozone...



What is the effect of Ozone
on the stratosphere?

Why is Ozone important for
Life?



The Ozone shield → allows life at the surface


The Ozone layer appeared with the rise of Oxygen
(~2.4-2.3 Ga ago) in the lower Stratosphere (10-20km)

CO₂ protects < 200nm


O₃ protects 200-300 nm (already at 1% of today's O₂)



The next Rise of Oxygen




Most likely, organism with **Oxygenic Photosynthesis** expanded rapidly after a (near) total glaciation...





Who are the main producers
of oxygen today?



When is a Planet “habitable”?



When would you claim
that a planet is habitable?

Water is important

- For all biological processes
- For stability of the climate
- For short-term temperature stability (heat capacity)



In order to detect **LIFE** in the atmosphere
it is a lot easier if it is on the **surface** of the Planet




Start the search
where Water is liquid on the surface

A planet is **habitable** if it provides the environment, materials and processes that are advantageous for the formation and long-term evolution of life

The Habitable zone was first known as “**Liquid Water Belt**” (Shapley 1953), “Ecosphere around the Sun” (Strughold 1953), before “**Habitable zone**” (Su-Shu Huang 1959)

Often Human-centric view for life as we know it



Habitability is more than “liquid water on surface”




Why should we search on
Venus and Mars, when they are
outside the “habitable zone”?

Other Factors that
influence
Habitability...

Re-considering...



Runaway Greenhouse: The Evolution of Venus



Venus: Earth “Sister”

Distance from Sun: 0.72 AU

Mass: 81% of Earth

But....

$T_{\text{surf}} = 460\text{ }^{\circ}\text{C}$

(too hot for liquid water, even under high pressure)


$P_{\text{surf}} \sim 93\text{ bars}$

ATM: CO_2 (96.5%), N_2 (3.5%),

traces of SO_2 , H_2O , CO
leading to H_2SO_4 rain

Secure inner limit of the habitable zone

UV image




Did Venus start wet or dry?

Pioneer Venus (1977/1978):

today: only 10^{-3} x Earth H_2O
(in atm 30 ppm vs. 1000-40,000 ppm)

but D/H ratio: 150 x Earth

H^+ escapes, D^+ (heavier) less...




Pioneer Venus 1&2

Venus started with surface water!

How much is unclear...

A simple model based on **no initial atmosphere**,
pure **H₂O volcanism**, and all albedos = **Mars' albedo = 0.17**




How much more radiation flux
from the Sun does Venus get
(at 0.72 AU) than Earth?

Gedankenexperiment: moving **Earth** closer to the sun

At $\sim 1.4 \times$ Earth solar flux
(i.e. 0.85 AU):
Runaway Greenhouse
Oceans evaporate entirely

At $\sim 1.1 \times$ Earth solar flux
(i.e. 0.95 AU):
The tropopause is lifted
(from 10-15km to 150km)
A wet stratosphere
develops and H_2O is lost

This is the inner edge of
the Habitable Zone




cold trap is lost
Ozone is destroyed

Lunch break...

Climate History of Mars

How did the inner/outer edge
vary as a function of time?



Mars: the red planet

H₂O-CO₂-ice caps

Distance from Sun: 1.52 AU

Mass: 11% of Earth

and....


$T_{\text{surf}} = -55\text{ }^{\circ}\text{C}$

$P_{\text{surf}} \sim 6\text{-}8\text{ mbar}$ (water sublimates)

ATM: CO₂ (95.3%), N₂ (2.7%), Ar (1.6%)

traces of O₂, CO, H₂O


Obliquity changes by $\pm 10^{\circ}$ in 10^5 - 10^6 yr cycles chaotically
and can range from 0° to 60°



Did it ever rain on Mars?



Comparison of HDO with H₂O in water on Mars today vs.
Mars meteorites dating from 4.5 Ga ago

Deduced that 20 million km³ of water were liquid (1/70 of
the amount on Earth today), covering 20% of Mars



Did it ever rain on Mars?

The Mars Reconnaissance Orbiter, in 2015, confirmed evidence that water flows on Mars today (hydrated minerals in the slopes of the Hale crater)



Could early Mars have been warm?

Earth analogy: early Greenhouse gases were CO_2 and CH_4

CO_2 : through Volcanism ✓

CH_4 : abiotic? biotic (methanogens)? ✓


SO_2 : Volcanic origin but unstable in the atmosphere ✗
(Note: leads to H_2SO_3 and acid surface,
explains absence of carbonates)

but...

at <3.8 Ga and 1.52 AU, Solar intensity was 32% of
Earth today

→ Max. $T_{\text{surf}} \sim 225\text{K}$ (-48°C)

Today Volcanism stopped on Mars




Olympus Mons on Mars
largest Volcano in the Solar system

If this were not the case
(if Mars were more
massive and had
tectonic activity) there
would be enough CO₂

At $\sim 0.7 \times$ Earth solar flux (i.e. 1.2 AU): CO₂ condenses to
clouds and the greenhouse effect is reduced

The outer edge of the Habitable Zone is fuzzy
but around 1.5 AU



In the Solar System:


The inner edge of the Habitable Zone is around ~ 0.9 AU

The outer edge is fuzzy but around ~ 1.5 AU

Venus

- Close to Sun
- Lost its H₂O
- No weathering (CO₂ stay in atm)
- Runaway Greenhouse effect

$T_{\text{surf}} \sim 730\text{K}$



Mars

- Too far, too small (10% of Earth-mass)
- Volcanic activity stopped quickly (no CO₂ production)
- Lost its atmosphere
- No Greenhouse effect


$T_{\text{surf}} \sim 218 \text{ K}$



What about the climate on
Mercury?

The Future of Earth

Phanerozoic Carbon Dioxide



What will be the long-term
consequence on the climate
of today's raise in CO₂?

And the consequence for Life
on Earth?

Current: CO₂ ~400 ppm

(CO₂ is an efficient Rayleigh scattered = higher Albedo)

If we burned all fossil reserves: 1400-2000 ppm



→ higher Greenhouse (compensated partly by higher albedo:
no runaway process)

→ T_{surf} + ~8°C (sea level + ~80m)

Even at Venus CO₂ concentration: T_{surf} ~230°C but

Pressure ↗ (100 bar) → Water remains liquid



Today, Earth cannot lose its water


(Humans would nevertheless feel very uncomfortable)

But what about in ~ 1 Gyr time?

Solar luminosity up by 10%

\Rightarrow Earth loses its water
but how fast?





Provides long-term climate stability

What will happen?

(ignore the short term human-made CO₂)

Solar luminosity ↗ → weathering increases → CO₂ ↘

- at 150 ppm CO₂ (after 500 Myr) C₃ plants die
C₃ plants: all trees, most crops [95%]
- at 10 ppm CO₂ (after 900 Myr) C₄ plants die
C₄ plants: tropical plants, corn, sugar cane [5%]

The atmosphere becomes thin (low pressure) and H₂O gets lost over a few 100 Myr

Earth lifetime with surface H₂O will have been ~5.5 Gyr

Complex life will have existed for ~2.5 Gyr





Take home ideas

- Solar flux, albedo, greenhouse effect
- Feedback loops drive the climate
- Life modulates the most important volatiles in the atmosphere
- Oxygen appeared with photosynthesis
- Habitability is (currently) linked to liquid water
- Venus experienced a runaway greenhouse effect
- Mars never developed a greenhouse atm

Homework:

- Watch the BBC documentary 'Earth - The Power of the Planet', episode 2 'Atmosphere'
(<http://documentaryheaven.com/atmosphere-earth-the-power-of-the-planet/>)
If motivated, look at episodes 1 and 5: 'Volcano' and 'Rare Earth'
- Read one (or both) Chapters of 'The Emerald Planet' by D.Beerling
Start with 'Oxygen and the lost world of giants', and if motivated, continue with 'Nature's Green Revolution'

Monday January 20	Day 1: Definition of Life; Origin of Life; Evolution of Life; Limits of Life 10:00-12:30 & 13:15-13:45	✓
Tuesday January 21	Day 2: Earth Climate History; Limits of Climate; Planet Atmospheres 10:00-12:30 & 13:15-13:45	✓
Wednesday January 22	Day 3: Habitable Places in the Solar System; Mars; Moons of Giant Planets 14:00 - 17:30 (with 30min break)	
Thursday January 23	Day 4: Habitable Places beyond the Solar System; Exoplanets properties; Biosignatures 10:00-12:30 & 13:15-13:45	
Friday January 24	Day 5: Search for Extraterrestrial Intelligence; Alien Biochemistry 10:00-12:30 & 13:15-13:45	

The End for Today

Thank you!