

DUST - User Notes

DUST Contact:

Dr. Harald Krueger
Max-Planck-Institut fuer Sonnensystemforschung
Max-Planck-Str. 2
37191 Katlenburg-Lindau
Germany

Phone:
Telefax: (49) 5556 979 234

E-mail: krueger@mps.mpg.de

REFERENCES:

- Gruen, E. et al., The Ulysses dust experiment, *A&A*, 92, 2, 411-423.
Gruen, E. et al., Reduction of Galileo and Ulysses dust data,
Planet. Space Sci., 1995, 43, 941-951.
Gruen, E. et al., Two years of Ulysses dust data,
Planet. Space Sci., 1995, 43, 971-999.
Krueger, H. et al., Three years of Ulysses dust data: 1993 to 1995,
Planet. Space Sci., 1999a, 47, 363-383.
Krueger, H. et al., Three years of Galileo dust data: 1993 to 1995,
Planet. Space Sci., 1999b, 47, 85-106.
Krueger, H. et al., Four years of Ulysses dust data: 1996 to 1999,
Planet. Space Sci., 2001, 49, 1303-1324.
Altobelli, N. et al., Influence of wall impacts on the Ulysses dust
detector in modelling the interstellar dust flux',
Planet. Space Sci., 2004, 52, 1287-1295.
Krueger, H. et al., Five years of Ulysses dust data: 2000 to 2004,
Planet. Space Sci., 2006, 54, 932-956.
Krueger et al., Three years of Ulysses dust data: 2005 to 2007,
Planet. Space Sci., in preparation

ULYSSES DDS EVENT DATA

DATA FILE DESCRIPTION

This table contains Ulysses DDS detector responses and derived quantities as well as spacecraft geometry information for all impacts and noise events. See Gruen et al. (1995) and Krueger et al. (1999a) for more information.

RECORD_FORMAT = "(i5,1x,a12,1x,i1,1x,i1,1x,i3,1x,i2,1x,i2,1x,i2,1x,i2,1x,i2,1x,i2,1x,i1,1x,i1,1x,i2,1x,i2,1x,i1,1x,i1,1x,i1,1x,i1,1x,a1,1x,f7.5,1x,f5.1,1x,f5.1,1x,f7.5,1x,f7.5,1x,i3,1x,i3,1x,i3,1x,f4.1,1x,f4.1,1x,e8.2,1x,f6.1)"

EVENT SEQUENCE NUMBER - The number associated with an event in ULYDEVNT.TAB, with 1 being the first event recorded and n being the n'th event recorded.

NATIVE TIME - The time of the event given in year, day of year, hours and minutes in the general form: yyyy-dddTh:mm See Confidence Level Note, Impact Times.

EVENT CLASS - CLASS (CLN) is the event category class which is represented by a single integer ranging from 0 to 3. Class 0 includes all events which are not categorized in a higher class. For classes 1 through 3 the measured parameters and their relation to each other are increasingly restricted, so that CLASS = 3 generally represents dust impact events only. CLASS is determined from ION AMPLITUDE (IA), CHANNELTRON AMPLITUDE (CA), ELECTRON AMPLITUDE (EA), ELECTRON RISE TIME (ET), ION RISE TIME (IT), ION CHANNELTRON COINCIDENCE (IC), ELECTRON ION COINCIDENCE (EI), and noise counters of the electron collector (EN), ion collector (IN), and the channeltron (CN).

On board qualification scheme valid before 26 March 2002.

Parameters:	class 0	class 1	class 2	class 3
EA			EA > 0	EA > 0
IA	IA > 0	IA > 0	IA > 0	IA > 0
CA	CA > 0	CA > 0	CA > 0	CA > 0
ET			1 <= ET <= 15	1 <= ET <= 15
IT			1 <= IT <= 15	1 <= IT <= 15
ICC			ICC = 0	ICC = 0
EIT			EIT = 1	EIT = 1

Noise counter of:

EN	EN <= 8
IN	IN <= 2
CN	CN <= 8

On board qualification scheme valid after 26 March 2002.

Parameters:	class 0	class 1	class 2	class 3
IA	IA > 0	IA > 0	IA > 0	IA > 0
EA	or EA > 0	EA > 0	EA > 0	EA > 0
CA	or CA > 0	CA > 0	CA > 0	CA > 0
ET				1 <= ET <= 15
IT				1 <= IT <= 15
EIT		EIT = 0 or EIT = 15		
EIC		EIC = 1	EIC = 0	EIC = 0
ICC			ICC = 1	ICC = 1

Noise counter of:

EN	EN <= 8	EN <= 8
IN	IN <= 14	IN <= 2
CN	CN <= 14	CN <= 2

Note that classes 1 and 2 have been actually subdivided into two subclasses since 26 March 2002 (Krueger et al., 1999b)

ION AMPLITUDE RANGE - The ION AMPLITUDE RANGE (AR) is the classification of the ION AMPLITUDE value into one of 6 subranges. Each subrange is denoted by an integer between the values of 1 and 6. The six amplitude sub-ranges correspond roughly to a decade of measured electronic charge.

AR | ION AMPLITUDE

```

-----
1 | 0 - 7
2 | 8 - 15
3 | 16 - 23
4 | 24 - 32
5 | 48 - 55
6 | 56 - 60

```

SECTOR - The angular orientation of the sensor axis about the spacecraft spin axis at the time of each event, measured in the plane perpendicular to the spin axis of Ulysses which points roughly toward the Earth. The angle is defined to be zero when the dust sensor axis looks closest to the Sun, and its value increases counter clockwise when the spacecraft is viewed from Earth. SECTOR is an 8-bit counter having an integer value between 0 and 255, and is converted to degrees through scaling by 1.40625. See Confidence Level Note, Sector.

ION AMPLITUDE CODE - An integer code (IA) corresponding to the logarithmic mean of the minimum and maximum range of the bin within which falls the maximum observed signal associated with a single event measured by the ion collector. Conversions to units of coulomb are given in ULYDCODE.TAB. Increasing values indicate increasing amplitudes. Eight digitization steps cover about one decade in charge and steps 32 through 47 are not used. Apparent gaps in the otherwise uniform amplitude sequences occur at steps 16, 17 and 48. These are caused by transitions between different amplifiers.

ELECTRON AMPLITUDE CODE - An integer code (EA) corresponding to the logarithmic mean of the minimum and maximum range of the bin within which falls the maximum observed signal associated with a single event measured by the electron collector. Conversions to units of coulomb are given in ULYDCODE.TAB. Increasing values indicate increasing amplitudes. Eight digitization steps cover about one decade in charge and steps 32 through 47 are not used. Apparent gaps in the otherwise uniform amplitude sequences occur at steps 16, 17, 18 and 48. These are caused by transitions between different amplifiers.

CHANNELTRON AMPLITUDE CODE - An integer code (CA) corresponding to the logarithmic mean of the minimum and maximum range of the bin within which falls the maximum observed signal associated with a single event measured by the channeltron. Conversions to units of coulomb are given in ULYDCODE.TAB. Increasing values indicate increasing amplitudes.

ION RISE TIME CODE - An integer code (IT) corresponding to the logarithmic mean of the minimum and maximum range of the bin within which falls the rise time associated with a single event measured by the ion collector. Conversions to units of micro-seconds are given in ULYDCODE.TAB. Increasing values indicate increasing rise times.

ELECTRON RISE TIME CODE - An integer code (ET) corresponding to the logarithmic mean of the minimum and maximum ranges of the bin within which falls the rise time associated with a single event measured by the electron collector. Conversions to units of micro-seconds are given in ULYDCODE.TAB. Increasing values indicate increasing rise times.

ELECTRON ION TIME CODE - An integer code (EIT) corresponding to the logarithmic mean of the minimum and maximum range of the bin within which falls the difference in time between the start of the electron signal and the start of the ion signal which are associated with a single event. Conversions to units of micro-seconds are given in ULYDCODE.TAB. Increasing values indicate increasing electron minus ion rise time differences.

ELECTRON ION COINCIDENCE - This is an indicator of coincidence of measured negative and positive charge pulses (EIC). The difference in times between the achievement of threshold values for the measured negative and positive charges is determined. If that difference is less than 200 nanoseconds, this variable is set to 1, and 0 otherwise.

ION CHANNELTRON COINCIDENCE - This is an indicator of coincidence of measured channeltron and positive charge pulses (ICC). The difference in times between the achievement of threshold values for the measured channeltron and positive charges is determined. If that difference is less than 200 nanoseconds, this variable is set to 1, and 0 otherwise. See Confidence Level Note, Ion Channeltron Coincidence.

ENTRANCE GRID AMPLITUDE CODE - An integer code (PA) corresponding to the logarithmic mean of the minimum and maximum range of the bin within which falls the maximum observed signal associated with a single event measured by the entrance grid. Conversions to units of coulomb are given in ULYDCODE.TAB. Increasing values indicate increasing amplitudes. See Confidence Level Note, Entrance Grid Amplitude Code.

ENTRANCE GRID RISE TIME CODE - An integer code (PET) corresponding to the logarithmic mean of the minimum and maximum ranges of the bin within which falls the time difference between the entrance grid pulse and the negative charge (electron collector) signal associated with a single event. Conversions to units of micro-seconds are given in ULYDCODE.TAB. Increasing values indicate increasing rise times.

EVENT DEFINITION - The EVENT DEFINITION (EVD) indicates which channels initiates a measuring cycle. The x in each column indicates the channels for which threshold values are exceeded.

EVDI Q_I Q_E Q_C

```

-----
0 | x  x  x
1 | x    x
2 |  x  x
3 |    x
4 | x  x
5 | x
6 |  x

```

ION COLLECTOR THRESHOLD - Code (ICP) corresponding to the threshold set for the positive ion charge impulse(Q_I) at the time of an event.

```
ICPIQ_I (coulomb)
-----+-----
0 | 9.0E-15
1 | 2.7E-14
2 | 6.3E-14
3 | 1.6E-13
```

ELECTRON COLLECTOR THRESHOLD - Code (ECP) corresponding to the threshold set for the electron charge impulse(Q_E) at the time of an event. See Confidence Level Note, Electron Collector Threshold.

```
ECPIQ_E (coulomb)
-----+-----
0 | -8.5E-15
1 | -2.6E-14
2 | -6.0E-14
3 | -1.5E-13
```

CHANNELTRON THRESHOLD - Code (CCP) corresponding to the threshold set for the channeltron charge(Q_C) pulse at the time of an event.

```
CCPIQ_C (coulomb)
-----+-----
0 | -8.8E-14
1 | -2.6E-13
2 | -5.8E-13
3 | -1.5E-12
```

ENTRANCE GRID THRESHOLD - Code (PCP) corresponding to the threshold set for the entrance grid charge pulse(Q_P) at the time of an event separately for positively and negatively charged particles.

```
PCPIQ_P (positive) (coulomb)|Q_P (negative) (coulomb)
-----+-----
0 | 1.4E-14 | -1.5E-14
1 | 4.3E-14 | -4.4E-14
2 | 1.0E-13 | -1.0E-13
3 | 2.6E-13 | -2.5E-13
```

CHANNELTRON VOLTAGE LEVEL - Code (HV) corresponding to the channeltron high voltage level(HV) set at the time of an event with integers representing fixed voltage differences. See Confidence Level Note, Channeltron Voltage Level.

```
HV|Voltage(Volts)
-----+-----
?| UNKN
X| OFF
0| 200
1| 900
2| 1020
3| 1140
4| 1250
5| 1370
```

SPACECRAFT-SUN DISTANCE - The distance from the spacecraft to the sun.

ECLIPTIC LONGITUDE - The heliocentric ecliptic longitude (Equinox 1950.0) of the spacecraft.

ECLIPTIC LATITUDE - The heliocentric ecliptic latitude (Equinox 1950.0) of the spacecraft.

SPACECRAFT EARTH DISTANCE - The distance from the spacecraft to Earth.

SPACECRAFT JUPITER DISTANCE - The distance from the spacecraft to Jupiter.

ROTATION ANGLE - The angular orientation of the sensor axis about the spacecraft spin axis at the time of each event, measured in the plane perpendicular to the spin axis of Ulysses which points roughly toward the Earth. The angle is defined to be zero when the dust sensor axis looks closest to the ecliptic north and it increases as Ulysses rotates positively about its spin axis (by the right-hand rule). See Confidence Level Note, Sector.

DETECTOR ECLIPTIC LONGITUDE - The spacecraft-centered ecliptic longitude (Equinox 1950.0) of the sensor axis.

DETECTOR ECLIPTIC LATITUDE - The spacecraft-centered ecliptic latitude

(Equinox 1950.0) of the sensor axis.

PARTICLE SPEED - The impact speed of the particle. When no speed can be determined, the value is set to 99.9 See Data Reduction, Impact Speed.

PARTICLE SPEED ERROR FACTOR - An upper and lower estimate of impactor speed is obtained by multiplying and dividing, respectively, the particle speed by this factor. When no speed (hence error factor) can be determined, the value of this factor is set to 99.9 See Data Reduction, Impact Speed Error Factor.

PARTICLE MASS - The particle mass. When the particle is not determined, the mass is not determined and is set to 0.e0. See Data Reduction, Impactor Mass.

PARTICLE MASS ERROR FACTOR - An upper and lower estimate of impactor mass is obtained by multiplying and dividing, respectively, the particle mass by this factor. When the speed is not determined, neither is the mass, and this factor is set to 9999.9 . See Data Reduction, Impactor Mass Error Factor.

[DUST Index]