



# Athena: Assessment Phase Activities




David Lumb *Study Scientist*  
Mark Ayre *Study Manager*  
ESA ESTEC






**Key Date: SPC Adoption 2020**




The initial mission architecture and S/C design produced during Phase 0 of the ATHENA study

Primarily by the CDF, over a 6 week period in September/October 2014

Building on significant study heritage from previous concepts (IXO, ATHENA\_L1), and the on-going SPO and instrument developments



Parameter	IXO	ATHENA_L1	ATHENA
<b>System Requirements</b>			
# Instruments	6	2	2
On-axis A_eff (~1keV)	2.5m <sup>2</sup> (@1.25keV)	1m <sup>2</sup> (@1.25keV)	2m <sup>2</sup> (@1keV)
On-axis A_eff (6keV)	0.65m <sup>2</sup>	0.5m <sup>2</sup>	0.25m <sup>2</sup>
PSF HEW (on axis, <~8keV)	5"	10"	5"
AKE (a posteriori)	1" (3σ)	1.5" (3σ)	1" (3σ)
ToO reaction time	<24h	<8-12h	<4h 80% of cases
<b>Inst. Funct. Requirements</b>			
X-IFU ΔE	2.5eV	3eV	2.5eV
X-IFU FoV	2' diameter	3' diameter	5' diameter
WFI ΔE	150eV	150eV	150eV
WFI FoV	18'x18'	24'x24'	40'x40'
<b>Inst. Resource Requirements</b>			
X-IFU (inc. CC)	(all instruments)		
Mass*	663 kg	409 kg	583 kg
Power*	1621 W	1005 W	1500 W
<b>WFI</b>			
Mass*	-	83 kg	288 kg
Power*	-	187 W	570 W




- **Launch 2028, 1Bn€ CaC**


A pre-CDF study cost and risk assessment indicated that:

- Targeting an ATHENA\_L1-class SC (standard launcher I/F, no deployable focal plane) would be necessary to constrain the cost (**for an ESA-only mission**), and that even with this measure the ESA CaC would be likely to significantly exceed the limit
- Given the programmatic uncertainty on the Ariane programme, the proposed SC would not be compatible with A6 (as it was then defined)


Therefore, to constrain cost and size, the study was based on the premise of using the largest standard 2624 mm Launch Vehicle Adaptor (LVA) on Ariane 5 ECA




- The as proposed mission would be unaffordable respecting geo-return, an ESA-funded cooler, and no international involvement
- De-scoping to an L1-class mission ( $\sim 1.5\text{m}^2$  telescope, best-effort ToO, standard LVA but JAXA supplying the cryo-cooler to the X-IFU Consortium ( **avoids ESA management I/F cost for the CC**) is  $\sim 1\text{Bn}\text{€}$



- The preliminary baseline configuration was established in the CDF study. Compatibility with the L mission budget (1 B€, e.c. 2013), still needs confirmation
  - Industrial studies are needed for enabling reliable cost estimates
  - Consolidation of international collaboration scheme (JAXA and NASA provisions)
  - Consolidation of Member States provision
- Although CDF design point ( $\sim 1.5\text{m}^2$ ) was perceived as a realistic target, the “optimum” definition point within boundary conditions will be reached through the Phase A1
- Determine collecting area we could afford, and resources that can be allocated to the instruments





Launch using A-64, direct transfer and free-insertion in to a large amplitude (measured from the Sun-Earth-line  $\sim 0.75 \times 10^6$  km) Halo orbit at **L2**



Constraints imposed on the trajectory:



- Sun-SC-Earth (SSCE) angle less than  $33^\circ$
- No Earth/Moon eclipses during transfer or operations
- Orbit shape highly dependent upon launch time/date
- $\Delta V \sim 75 \text{ms}^{-1}$ :
- Periodic small station-keeping manoeuvres
- EoL disposal to deep-space
- 3h daily downlink to New Norcia
- Additional uplink stations for ToO







- ToO alerts isotropic random in time/space
- Monday to Friday, 09.00–17.00 working hours at ESAC/ESOC, 120m commutes twice a day (ESAC staff able to perform their functions remotely at home if a ToO-request arrives out-of-hours)
- Uplink at New Norcia, Malargüe
- Agile SC ( $4^\circ$ /minute slew & settle)
- 10min instrument swap-out should the ToO-request arrive when WFI is observing
- 40h X-IFU cooling cycle period, with 32h cool-time and 8h regeneration time (primary constraint)


	MIP	MMA
PROS	<ul style="list-style-type: none"> <li>- Misalignment of star trackers is minimized (placed on the mirror)</li> </ul>	<ul style="list-style-type: none"> <li>- Reduced inertia for slewing the S/C</li> <li>- Range of motion</li> <li>- Less stringent in terms of position stability (only affects vignetting function)</li> </ul>
CONS	<ul style="list-style-type: none"> <li>- X-IFU instrument requires cryogenic chain (vibration)</li> <li>- Harness would need to allow moving ~0.75 m</li> <li>- Heat pipes restricted</li> <li>- Proximity to regeneration X-IFU (possibly lower position accuracy)</li> <li>- Possible additional risk of locking on black spot, avoiding it reduces focal length</li> </ul>	<ul style="list-style-type: none"> <li>- Effective area reduction</li> <li>- Attachment of MMA to FMS is critical (8 points were considered so far). Locked during launch. Stress transmission (shocks)</li> <li>- Baffle configuration will probably require two holes (depending on position on FMS) =&gt; worse for straylight</li> </ul>



- Wide Field Imager (WFI) - Silicon Depleted P-channel Field Effect Transistor (DEPFET) Active Pixel Sensor camera with two separate detector arrays, ~17 cm apart
- X-ray Integral Field Unit (X-IFU) - Actively-shielded X-ray micro-calorimeter spectrometer for high-spectral resolution (2.5 eV), single narrow FoV (5'  $\emptyset$ , ~17.4 mm<sup>2</sup>) detector array composed of ~3840 super-cooled TES




	X-IFU (inc. CC)	WFI
energy range [keV]	0.2 - 12	0.1 - 15
Energy resolution [eV]	2.5	150
FoV [°]	5 $\emptyset$	40 x 40
Pixel size [ $\mu\text{m}$ ]	250	130
Detector op. temp [K]	<100 mK	210
Mass [kg]	583	288
Power [W]	1500	684





- Expected duration: ~ 12 months
- Configurations will be studied by the Industrial contractors:
  - From CDF baseline to maximum resource compatible
  - Preliminary definition of the spacecraft for both configurations
  - Preliminary development plan and costing for both configurations
- The Phase A.1 is closed by a dedicated review (*Mission Consolidation Review*), which includes the Cost at Completion estimate for both configurations.
- The baseline will be defined following the MCR and leads to Payload AO

*Note: The selected baseline may differ from the two configurations as studied.*





- Reach TRL  $\geq 5/6$  before mission adoption ( Q1 2020)
- Some technologies are highly critical and require dedicated development activities during Phase A/B1 since they carry significant risk to the project:
  - *SPO Mirror Modules (MM) & Mirror Assembly (MA) related technology developments*
  - *The X-IFU Cryogenic Chain (CC) related technology developments*
  - *Instrument Switching Mechanism (ISM)*
  - *ATHENA radiation and background modelling*

- Areas considered moderately critical and some technology development during Phase A/B1 is :
  - *MM shock suppression*
  - *On-board Metrology (OBM)*
  - *SC Mirror Contamination Cover (MCC)*
  - *Planning S/W & Fast Timeline Generation.*
  - *High accuracy star tracker*



- T00 response time driven by cryo-cooler availability
- Recycling time is based on the Safari cooler, but some growth potential.
- The 2K cooler performance can e.g. be increased by operating the 15K cooler at full power during the recycling time (operating the 15K I/F at  $\sim 12\text{K}$ ),
- Similar for the 4K stage, it might be possible to increase the cooling power, taking into account that the JAXA JT coolers are sized for 40mW (depending on the failure modes) or to consider some Energy storage
- Need to examine margin philosophy for the cooling chain. E.g. need to be conservative on the parasitic loads and consider some system margins for the coolers to be sure to have a working system. can be a little bit more relaxed on the recycling time/hold time





Phase A.1 kick-offs (parallel contracts):

July 2015

MCR data package (2 configurations):

April 2016

MCR completed:

May 2016

Baseline selection :

June 2016

Phase A.2 kick-off:

June 2016

AO for science instruments:

Early July 2016

Selection of Instrument consortia:

November 2016

PRR data package:

November 2017

PRR completed (end of Phase A):

Dec 2017

